## In the claims:

For the Examiner's convenience, all pending claims are presented below with changes shown.

1. (Currently Amended) A radio frequency tuner comprising:

an Inter-Integrated circuit (I2C-bus);

a frequency changer including:

a mixer stage to receive a radio frequency (RF) input and having a performance and a gain which are first and second functions of a power consumption; and

a bus interface, coupled to the I2C bus, having an input coupled to a data bus;

a microcontroller, coupled to the I2C bus, to control a variable gain arrangement of the mixer stage via the bus interface to compensate at least partly for a variation of said gain of said at least one stage.

at least one stage of variable power consumption having a performance and a gain which are first and second functions, respectively, of a power consumption; a variable gain arrangement; and a control circuit for controlling said power consumption of said at least one stage and for controlling said variable gain arrangement to compensate at least partly for a variation of said gain of said at least one stage.

2. (Withdrawn) A tuner as claimed in claim 1, in which said performance comprises a signal corrupting performance.

Docket No. 42P23771 Application No. 10/004,766

- 3. (Withdrawn) A tuner as claimed in claim 2, in which said performance comprises distortion performance.
- 4. (Withdrawn) A tuner as claimed in claim 1, in which said variable gain arrangement comprises a controllable current steering circuit.
- 5. (Withdrawn) A tuner as claimed in claim 1, in which said variable gain arrangement comprises a variable load impedance of said at least one stage.
- 6. (Withdrawn) A tuner as claimed in claim 1, in which said at least one stage comprises a transconductance stage and said gain is a transconductance thereof.
- 7. (Withdrawn) A tuner as claimed in claim 1, in which said at least one stage comprises a controllable current source for controlling said power consumption.
- 8. (Withdrawn) A tuner as claimed in claim 1, in which said at least one stage comprises a controllable degeneration impedance.
- 9. (Withdrawn) A tuner as claimed in claim 1, in which said performance of said at least one stage is a direction function of said power consumption.
- 10. (Currently Amended) A tuner as claimed in claim 1, comprising means for setting said power consumption, said control circuit microcontroller being responsive to said means

Docket No. 42P23771 Application No. 10/004,766 for setting said power consumption to achieve a desired tuner performance.

- 11. (Currently Amended) A tuner as claimed in claim 10, in which said setting means comprises a comparator for comparing a tuner performance with a first predetermined performance and for causing said control circuit microcontroller to reduce said power consumption of said at least one stage when said tuner performance exceeds said first predetermined performance.
- 12. (Currently Amended) A tuner as claimed in claim 11, in which said comparator is arranged to compare said tuner performance with a second predetermined performance lower than said first predetermined performance and said control circuit microcontroller is arranged to increase the power consumption of said at least one stage when said tuner performance is less than said second predetermined performance.
- 13. (Original) A tuner as claimed in claim 11, in which said tuner performance is a ratio of signal to noise plus intermodulation products.
- 14. (Original) A tuner as claimed in claim 11, comprising a digital tuner.
- 15. (Original) A tuner as claimed in claim 14, in which said tuner comprises a demodulator and said tuner performance is a bit error rate.
- 16. (Original) A tuner as claimed in claims 11, in which said first predetermined

Docket No. 42P23771

Application No. 10/004,766

performance is greater than or equal to an acceptable minimum performance.

- 17. (Original) A tuner as claimed in claim 12, in which said second predetermined performance is less than or equal to an acceptable minimum performance.
- 18. (Original) A tuner is claimed in claim 15, in which said bit error rate is an instantaneous bit error rate.
- 19. (Original) A tuner as claimed in claim 15, in which said bit error rate is a time-averaged bit error rate.
- 20. (Original) A tuner as claimed in claim 15, in which said bit error rate is a combination of an instantaneous bit error rate and a time-averaged bit error rate.
- 21. (Original) A tuner as claimed in claim 11, in which said comparator is arranged to perform a comparison continuously.
- 22. (Original) A tuner as claimed in claim 11, in which said comparator is arranged to perform a comparison periodically.
- 23. (Original) A tuner as claimed in claims 11, in which said comparator is arranged to perform a comparison each time said tuner is powered up.

- 24. (Original) A tuner as claimed in claim 11, in which said comparator is arranged to perform a comparison each time a change of a tuned frequency is requested.
- 25. (Original) A tuner as claimed in claim 10, in which said setting means comprises means for selecting a desired power consumption.
- 26. (Original) A tuner as claimed in claim 25, in which said selecting means is arranged to select said desired power consumption from a plurality of fixed power consumptions.
- 27. (Currently Amended) A tuner as claimed in claim 10, in which said setting means comprises a control input of said control circuit microcontroller.
- 28. (Original) A tuner as claimed in claim 10, in which said setting means is arranged to fix said power consumption during manufacture of said tuner.
- 29. (Withdrawn) A tuner as claimed in claim 1, in which said at least one stage comprises at least one frequency changer stage.
- 30. (Withdrawn) A tuner as claimed in claim 29, in which said at least one frequency changer stage comprises an image reject mixer.
- 31. (Withdrawn) A tuner as claimed in claim 29, in which said at least one frequency

Docket No. 42P23771 Application No. 10/004,766 changer stage comprises at least one low noise amplifier whose gain is dependent on a power consumption.

- 32. (Withdrawn) A tuner as claimed in claim 29, in which said at least one frequency changer stage comprises at least one local oscillator whose power consumption is controllable by said control circuit.
- 33. (Withdrawn) A tuner as claimed in claim 1, in which said at least one stage comprises at least one intermediate frequency amplifier.
- 34. (Withdrawn) A tuner as claimed in claim 1, comprising a cable tuner.
- 35. (Withdrawn) A tuner as claimed in claim 1, formed as a single monolithic integrated circuit.